




Zone Cabling





Zone Cabling

	Out of Rack	
	Hinged Wall Bracket	72
	Secure Surface Mountable Outlet	
Consolidation Points and Enclosures	Sub Floor Box	
	RapidNet Cassette Floor Box	73
	POD Box	
	Lockable Steel Zone Enclosure	
	RapidNet Zero U Bracket	
Mounting Hardware	Faceplates and Adaptors	74



Out of Rack Connectivity

Solutions for Additional Patching



RNAORC3



RNAORC2



RNAORC1



WB2U/BK / WB3U/BK

Product Description

HellermannTyton design and manufacture a diverse range of solutions for various Zone Cabling applications. Whatever the environment we have a solution that can help you benefit from a zone cabling topology through various styles of enclosures that can be fixed to the wall, in the ceiling under raised floors or desks.

Zone Cabling topologies comprise of network cables being deployed from the comms room to the chosen zone enclosure which are then in turn deployed to outlets in the work area or building management devices.

Outlet Type	Size	ORDER INFO
Hinged Wall Bracket	2U	WB2U/BK
	3U	WB3U/BK
Out of Rack Enclosure	3U RapidNet	RNAORC1
	1U Rack space / 2U RapidNet	RNAORC2
	3U Rack space	RNAORC3



Pods, Floorboxes and Secure Outlets

Zone And Work Area Solutions



LL03U/WH/WH / LL06U/WH/WH



AS08/12ESFB



RNSFB-3-V2 / RNSFB-1-V2



HT-POD-28MM-4P



ZCE2UXXXXGY




RN1CZUB

Outlet Type		Size	ORDER INFO
Secure Surface Mountable Outlets		3 Port	LL03U/WH/WH
		6 Port	LL06U/WH/WH
Sub Floor Box		Up to 12 RJ45 Modules	AS08/12ESFB
RapidNet Cassette Floor Box		1 x Cassette	RNSFB-1-V2
		3 x Cassette	RNSFB-3-V2
POD Box	4 Port	25mm OD Conduit Entry	HT-POD-25MM-4P
		28.5mm OD Conduit Entry	HT-POD-28MM-4P
		34mm OD Conduit Entry	HT-POD-34MM-4P
	6 Port	25mm OD Conduit Entry	HT-POD-25MM-6P
		28.5mm OD Conduit Entry	HT-POD-28MM-6P
		34mm OD Conduit Entry	HT-POD-34MM-6P
Lockable Steel Zone Enclosure		495 x 510 x 100mm (accepts 2U)	ZCE2UXXXXGY
RapidNet Zero U Bracket		1 x Cassette	RN1CZUB



Faceplates and Adaptors

Euro and Lj6C Sizes



ECFP01/WH / ECFP02/WH




ECFP01B/WH / ECFP02B/WH



ASBB01-27MM/WH / ASBB02-37MM/WH



6C-ANG-PMO/WH / EC-ANG-PMO/WH



EC025/WH / EC050/WH



6C050

Outlet Type	Size	ORDER INFO
Flat Single Gang Euro Faceplate	86x86mm	ECFP01/WH
Flat Double Gang Euro Faceplate	86x147mm	ECFP02/WH
Bevelled Single Gang Euro Faceplate	86x86mm	ECFP01B/WH
Bevelled Double Gang Euro Faceplate	86x147mm	ECFP02B/WH
Single Gang Back Box	86x86x27mm	ASBB01-27MM/WH
Single Gang Back Box	86x86x37mm	ASBB01-37MM/WH
Double Gang Back Box	86x147x37mm	ASBB02-37MM/WH
Modular Angled Euro Adaptor	50x25mm	EC-ANG-PMO/WH
Modular Angled Lj6C Adaptor	38.5x25mm	6C-ANG-PMO/WH
Euro Blank	50x25mm	EC050/WH
Euro Blank	50x12.5mm	EC025/WH
Lj6C Blank	38.5x25mm	6C050

Work Area Network Connectivity

The HellermannTyton Pod delivers reliable and resilient network connections in work area applications, as well as high performance, and quick and flexible installations for both direct to the desk or grid mapping designs.

MADE FOR REAL 

A close-up photograph of a black network pod with several white Ethernet cables plugged into it. The pod is mounted on a wooden desk surface. The background is a blurred view of a city from an elevated perspective.

Read more

