



Flexible Conduits and Fittings





	Page
3.1 Technical Information	
HelaGuard Application Overview	312
IEC 61386 Classification for HelaGuard Flexible Conduits	314
3.2 HelaGuard Non-Metallic Conduits and Fittings	
HelaGuard Non-Metallic System Nomenclature	316
Non-Metallic Conduits	
• HG-SW PA6 Standard Weight	317
• HG-LW PA6 Light Weight	318
• HG-HW PA6 Heavy Weight	319
• HG-FR PA6 Flame Retardant	320
• HG-HI PA12	321
• HG-DC Double Slit	322
• HG-PP PP Standard Weight	323
HelaGuard Fitting Finder	324
Fittings with fixed external thread	
• HG-S Straight, IP66	327
• HGL-S Straight, IP68	328
• HG-90 90° Elbow, IP66	329
• HGL-90 90° Elbow, IP68	330
• HG-45 45° Elbow, IP66	331
• HGL-45 45° Elbow, IP68	331
Fittings with swivel external thread	
• HG-SM Straight Swivel External Thread, IP66	332
• HGL-SM Straight Swivel External Thread, IP68	332
• HG-90M 90° Elbow Swivel External Thread, IP66	333
• HGL-90M 90° Elbow Swivel External Thread, IP68	333
• HG-45M 45° Elbow Swivel External Thread, IP66	334
• HGL-45M 45° Elbow Swivel External Thread, IP68	334
Fittings with swivel internal thread	
• HG-SF Straight Swivel Internal Thread, IP66	335
• HGL-SF Straight Swivel Internal Thread, IP68	335
• HG-90F 90° Elbow Swivel Internal Thread, IP66	336
• HGL-90F 90° Elbow Swivel Internal Thread, IP68	336
• HG-45F 45° Elbow Swivel Internal Thread, IP66	337
• HGL-45F 45° Elbow Swivel Internal Thread, IP68	337
Fittings with swivel flange	
• HG-SFL Straight Swivel Flange, IP66	338
• HGL-SFL Straight Swivel Flange, IP68	338
• HG-90FL 90° Elbow Swivel Flange, IP66	339
• HGL-90FL 90° Elbow Swivel Flange, IP68	339
• HG-45FL 45° Elbow Swivel Flange, IP66	340
• HGL-45FL 45° Elbow Swivel Flange, IP68	340

	Page
Fittings with strain relief and cable seal	
• HG-SCG Straight Cable Gland Fitting, IP66	341
• HGL-SCG Straight Cable Gland Fitting, IP68	341
• HG-90CG 90° Elbow fitting, IP66	342
• HGL-90CG 90° Elbow fitting, IP68	342
• HG-45CG 45° Elbow fitting, IP66	343
• HGL-45CG 45° Elbow fitting, IP68	343
Connectors, reducers and couplers	
• HG-T T-Connector, IP66	344
• HGL-T T-Connector, IP68	344
• HG-Y Y-Connector, IP66	345
• HGL-Y Y-Connector, IP68	345
• HG-R Reducer, IP66	346
• HGL-R Reducer, IP68	346
• HG-HG Conduit Connector, IP66	347

3.3 HelaGuard Metallic Conduits and Fittings	
HelaGuard Metallic System Nomenclature	348
Metallic conduits	
• SC Galvanised Steel Conduit	349
• SSC Stainless Steel Conduit	350
Fittings for metallic conduits	351
• SC-FM Fixed External Thread	351
• SSC-FM Fixed External Thread	351
• SC-SM Swivel External Thread	352
• SSC-SM Swivel External Thread	352
• SC-PC Plain Hole Connector	353
• SC-FF Fixed Internal Thread	353

3.4 HelaGuard Metallic Conduits with Plastic Coating and Fittings	
Metallic conduits with plastic coating	
• PCS Galvanised Steel Conduit, PVC Coating	354
• NCS Galvanised Steel Conduit, PA6 Coating	355
• LFHCS Galvanised Steel Conduit, LFH Coating	356
Fittings for metallic conduits with plastic coating	
• PCS-FM Fixed External Thread, IP54	357
• PCS-SM Swivel External Thread, IP54	357
• PCS-PC Plain Hole Connector, IP54	358
• PCS-FF Fixed Internal Thread, IP54	358
• PCS-FMC Fixed Thread Compression Fitting, IP65	359
• PCS-SMC Swivel Thread Compression Fitting, IP65	359

Flexible Conduits and Fittings

	Page
• PCS-90FMC 90° Elbow Compression Fitting, IP65	360
• PCS-PCS Compression Coupler, IP65	360
• PCS-SCG Straight Cable Gland fitting, IP65	361
• PCS-EI End Insert	361

3.5 HelaGuard Metallic Conduits with Liquid-Tight Cover and Fittings

Metallic conduits with liquid-tight cover	
• LTS Galvanised Steel Conduit, PVC Cover	362
• LTSH Galvanised Steel Conduit, Thermoplastic Cover	363
• LTSUL, Galvanised Steel Conduit, PVC Cover, UL Listed	364
Fittings for metallic conduits with liquid-tight cover	
• LTS-FMC Fixed Thread Compression Fitting, IP68	365
• LTS-SMC Swivel Thread Compression Fitting, IP68	365
• LTS-90FMC 90° Elbow compression fitting, IP68	366
• LTS-45FMC 45° Elbow Compression Fitting, IP68	366
• LTS-LTS Compression Coupler, IP68	367
• LTS-SCG Straight cable gland fitting, IP68	367
• LTS-EI End Insert	368

3.6 HelaGuard Metallic conduits with plastic coating and metallic overbraid and Fittings

Metallic conduits with plastic coating and metallic overbraid	
• PCSB Galvanised Steel Conduit, PVC Coating, Galvanised Steel overbraid	369
Fittings for metallic conduits with plastic coating and metallic overbraid	
• PCSB-FM Fixed External Thread, IP54	370
• PCSB-SM Swivel External Thread, IP54	370
• PCSB-PC Plain Hole Connector, IP54	371
• PCSB-FMC Fixed Thread Compression Fitting, IP65	371
• PCSB-SMC Swivel Thread Compression Fitting, IP65	372
• PCSB-90FMC 90° Elbow Compression Fitting, IP65	372

3.7 HelaGuard Metallic Conduits with Metallic Overbraid and Fittings

Metallic conduits with metallic overbraid	
• SCSB Galvanised Steel Conduit, Galvanised Steel Overbraid	373
Fittings for metallic conduits and metallic overbraid	
• SCSB-FM Fixed External Thread	374
• SCSB-SM Swivel External Thread	374
• SCSB-PC Plain Hole Connector	375

3.8 HelaGuard Accessories

	Page
HelaGuard Accessories	
• PACC Clip for Corrugated Conduits	376
• AFPC Clip for Rigid Conduits	376
• AFCS Fixing Clip, Plated Steel and PVC Liner	377
• AFCS Fixing Clip, Stainless Steel	377
• A90FM 90° Elbow	378
• ACP Couplers	378
• ALNPB Nickel Plated Brass Locknuts	379
• ALS Plated Steel Locknuts	379
• ALSS Stainless Steel Locknuts	380
• ALPA PA66 Locknuts	380
• AWS Chloroprene Sealing Washers	381
• AFWS Vulcanised Fibre Sealing Washers	381
• CNV Converters	382
• PAEC End Caps for Corrugated Conduits	383
• ConClamp Conduit Clamp	384
• ConCutterr Conduit Cutters	384

3.9 FlexiGuard Conduits and Fittings

FlexiGuard Conduits & Fittings	
• FlexiGuard PVC Protective Conduits	385
• FG-M Fittings	386
• FG-UH Fittings with Bracket	387
Non-metallic Conduits	
• CTT PTFE Conduits	388